

2018 Corn Grain Top 30 Harvest Report

North Central Tri-State [NCTS] COBB
Brad Walter, Iowa County, WI 53533



Test by: F.I.R.S.T. NCB, Inc., Lanark, IL

PREV. CROP/HERB: Soybean / Envive, Anthem Maxx, Roundup
SOIL DESCRIPTION: Tama silt loam, well drained, non-irrigated
SOIL CONDITION: Minimum w/o fall till, low P, high K, 6.2 pH, 3.7% OM, 14 CEC
PEST MANAGEMENT: Harness Xtra, Roundup, Impact, Headline AMP, Force
FERTILITY - Applied N: 140 Spring, 80 Sidedress
Applied N-P-K (units): 220-0-90
SEEDING - RATE - ROW: May 17 37,500 /A 30" spacing
HARVESTED - STAND: Oct 31 33,800 /A

Early-Season Test

101 - 106 Day CRM
B2018NCTS11a

Top 30 of 63

For Gross Income (Sorted by Yield)

Average of (3) Replications

| Company/Brand | Product/Brand† | Technol.† | RM | Yield Bu/A | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|------------------|------------------|-------------|------------|---------------|---------------|--------------|-------------------|-------------------------|-----------|
| Pfister | 60C2PC | PC | 100 | 236.4 | 21.0 | 1 | 34.8 | 844 | 2 |
| Golden Harvest | G05K08-3010A | 3010,A | 105 | 234.7 | 19.6 | 6 | 34.8 | 848 | 1 |
| Stone | 5448RIB | STX,B | 104 | 234.3 | 21.1 | 10 | 33.1 | 836 | 3 |
| Jung | 56SS538 | STX,B | 106 | 231.7 | 23.0 | 4 | 34.0 | 813 | 4 |
| Pioneer | P0589AMXT GC | AMXT,AQ,B | 105 | 227.0 | 22.4 | 7 | 34.0 | 801 | 6 |
| Latham | LH5245VT2ProRIB | VT2P,B | 102 | 226.1 | 20.6 | 1 | 34.8 | 810 | 5 |
| Dairyland | DS-7106PE | PC,E | 106 | 224.9 | 22.3 | 1 | 35.7 | 794 | 8 |
| Dairyland | DS-7101 | PC | 101 | 223.0 | 21.2 | 1 | 34.0 | 795 | 7 |
| Latham | LH5505VT2ProRIB | VT2P,B | 105 | 222.2 | 21.4 | 2 | 34.0 | 791 | 10 |
| Golden Harvest | G06Q68-3220-EZR | 3220,B | 106 | 221.4 | 22.6 | 10 | 34.0 | 780 | 15 |
| Renk | RK604SSTX | STX | 102 | 220.1 | 20.8 | 13 | 34.0 | 787 | 11 |
| NuTech/G2 Gen | 5F-601 | AM,AQ,B | 101 | 218.6 | 20.7 | 1 | 34.0 | 782 | 13 |
| Cornelius | C385DP | VT2P | 103 | 218.5 | 20.3 | 1 | 34.0 | 785 | 12 |
| Jung | 54SS528 | STX,B | 104 | 217.7 | 21.3 | 17 | 34.0 | 775 | 18 |
| Wyffels | W4196RIB | VT2P,B | 105 | 217.6 | 20.7 | 1 | 34.0 | 779 | 16 |
| Dekalb | DKC55-53RIB GC | STX,B | 105 | 217.2 | 21.5 | 5 | 34.8 | 772 | 19 |
| Stone | 5638RIB | STX,B | 106 | 217.1 | 23.0 | 2 | 34.0 | 762 | 30 |
| Cornelius | C478DP | VT2P | 106 | 216.8 | 22.1 | 4 | 34.8 | 767 | 22 |
| FS InVISION | FS 51QX1 RIB | STX,B | 101 | 216.6 | 20.4 | 14 | 34.0 | 777 | 17 |
| Latham | LH5487VT2Pro | VT2P | 104 | 216.3 | 21.3 | 2 | 33.1 | 770 | 21 |
| Hefty | H5522VT2P | VT2P | 105 | 216.1 | 21.1 | 4 | 34.0 | 771 | 20 |
| Kussmaul | SS-46S03RIB | STX,B | 103 | 216.0 | 21.7 | 1 | 34.0 | 767 | 23 |
| Kussmaul | SB-44V02DGRIB | VT2P,DG,B | 102 | 215.2 | 19.1 | 1 | 34.0 | 781 | 14 |
| LG Seeds | LG5499STXRIB | STX,B | 102 | 215.2 | 21.2 | 9 | 34.0 | 767 | 24 |
| Renk | RK737VT2P | VT2P | 106 | 215.2 | 21.8 | 1 | 33.1 | 763 | 29 |
| Dairyland | DS-9804RA | STX,B | 103 | 215.2 | 22.1 | 1 | 34.0 | 761 | 31 |
| Pfister | 64F1PE | PC,E | 104 | 215.1 | 21.1 | 4 | 34.0 | 767 | 25 |
| Wyffels | W2506 | VT2P | 101 | 213.9 | 20.5 | 3 | 34.0 | 767 | 26 |
| Burrus | Power Plus 2Y06^ | AM,B | 104 | 213.7 | 20.9 | 1 | 34.8 | 764 | 27 |
| Latham | LH5635VT2ProRIB | VT2P,B | 106 | 213.7 | 20.8 | 2 | 34.0 | 764 | 28 |
| Pioneer | P0707AMXT CK | AMXT,B | 107 | 225.4 | 22.7 | 10 | 34.8 | 793 | 9 |

Jason Beyers

beyers@frontiernet.net, (815) 985-7369

Averages = **212.9** **21.2** **3** **33.8** **759**

LSD (0.10) = 11.9 0.5 4

LSD (0.25) = 6.2 0.3 2

C.V. = 5.3 Prev. years average yield, 219.2 bu/a, 3 yrs

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.030 Prices: GMO = \$3.75; non-GMO = \$3.75

Test Comments: Rainfall was the 90% of the story at this location. Planting was delayed until the 2nd half of May, but conditions were good the day of planting. Plot emerged nicely and continued nice and uniform all season. This portion of Wisconsin continually received rainfall all growing season. After Labor Day, it rained nearly every other day, delaying area harvest. Stalk strength was deteriorating at harvest.

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different

Additional reports available at www.firstseedtests.com

©2018, all rights reserved by Elite Field Genetics, LLC

Report Date: 11/02/2018 Revised:

2018 Corn Grain Top 30 Harvest Report

North Central Tri-State [NCTS] COBB
Brad Walter, Iowa County, WI 53533



Test by: F.I.R.S.T. NCB, Inc., Lanark, IL

PREV. CROP/HERB: Soybean / Envive, Anthem Maxx, Roundup
SOIL DESCRIPTION: Tama silt loam, well drained, non-irrigated
SOIL CONDITION: Minimum w/o fall till, low P, high K, 6.2 pH, 3.7% OM, 14 CEC
PEST MANAGEMENT: Harness Xtra, Roundup, Impact, Headline AMP, Force
FERTILITY - Applied N: 140 Spring, 80 Sidedress
Applied N-P-K (units): 220-0-90
SEEDING - RATE - ROW: May 17 37,500 /A 30" spacing
HARVESTED - STAND: Oct 31 34,200 /A

Full-Season Test
107 - 110 Day CRM
B2018NCTS11b

Top 30 of 54

For Gross Income (Sorted by Yield)
Average of (3) Replications

| Company/Brand | Product/Brand† | Technol.† | RM | Yield Bu/A | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|------------------|------------------|-------------|------------|---------------|---------------|--------------|-------------------|-------------------------|----------|
| Pfister | 69H1PE | PC,E | 109 | 242.1 | 22.9 | 1 | 34.8 | 850 | 1 |
| Cornelius | C633DP | VT2P | 110 | 238.7 | 22.9 | 1 | 34.8 | 839 | 2 |
| Wyffels | W6896RIB | VT2P,B | 110 | 233.6 | 23.6 | 1 | 34.0 | 816 | 4 |
| Hefty | H6024SS | STX,B | 110 | 233.5 | 23.5 | 1 | 34.8 | 816 | 5 |
| Cornelius | C577SS | STX | 109 | 233.3 | 23.5 | 1 | 34.8 | 815 | 6 |
| Dairyland | DS-7909PE | PC,E | 109 | 232.7 | 22.9 | 1 | 33.1 | 817 | 3 |
| Burrus | Power Plus 4A67^ | AMXT,B | 109 | 229.4 | 22.8 | 2 | 34.0 | 807 | 7 |
| Cornelius | C573DP | VT2P | 108 | 225.9 | 22.8 | 1 | 34.0 | 794 | 8 |
| Pfister | 69E2SSR | STX,B | 109 | 225.8 | 24.9 | 1 | 34.8 | 780 | 12 |
| Pfister | 2545RASS | STX,B | 107 | 225.3 | 23.9 | 1 | 34.0 | 785 | 10 |
| Latham | LH5725VT2Pro | VT2P | 107 | 224.6 | 22.4 | 1 | 34.8 | 792 | 9 |
| Jung | 61SS608 | STX,B | 111 | 224.6 | 24.6 | 2 | 34.8 | 778 | 14 |
| Dairyland | DS-6008 | RR2 | 108 | 223.8 | 24.6 | 1 | 34.8 | 775 | 18 |
| Dairyland | DS-9508RA | STX,B | 108 | 223.0 | 23.4 | 1 | 34.8 | 780 | 13 |
| LG Seeds | LG5548STXRIB | STX,B | 109 | 222.2 | 24.6 | 1 | 34.8 | 769 | 20 |
| FS InVISION | FS 57ZX1 RIB | STX,B | 107 | 221.6 | 22.4 | 1 | 34.8 | 782 | 11 |
| Wyffels | W6408 | STX | 110 | 221.3 | 24.8 | 1 | 34.0 | 765 | 21 |
| Hefty | H5812VT2PRIB | VT2P,B | 108 | 220.8 | 22.5 | 1 | 33.1 | 778 | 15 |
| Hefty | H5922VT2P | VT2P | 109 | 220.8 | 22.6 | 4 | 34.0 | 778 | 16 |
| NuTech/G2 Gen | 5FB-1010 | AM,B | 110 | 220.6 | 24.7 | 2 | 34.8 | 763 | 22 |
| Renk | RK763VT2P | VT2P,B | 108 | 220.4 | 22.5 | 1 | 34.0 | 777 | 17 |
| Golden Harvest | G09A86-3000GT | 3000GT | 109 | 217.7 | 23.3 | 1 | 34.8 | 762 | 23 |
| Wyffels | W6956 | VT2P | 111 | 216.3 | 22.8 | 1 | 34.0 | 761 | 24 |
| Dyna-Gro | D49SS70 | STX | 109 | 216.2 | 23.9 | 1 | 34.0 | 753 | 28 |
| Pfister | 68A1PE | PC,E | 108 | 215.2 | 23.5 | 1 | 34.8 | 752 | 30 |
| NuTech/G2 Gen | 5FB-9909 | AM,B | 109 | 215.1 | 22.1 | 1 | 34.0 | 761 | 25 |
| Jung | 58SS537RIB | STX,B | 108 | 214.8 | 22.3 | 1 | 33.1 | 758 | 26 |
| Latham | EX5917VT2Pro | VT2P | 109 | 213.7 | 22.6 | 1 | 32.2 | 753 | 29 |
| REV | 1817AM | AM,B | 109 | 213.6 | 22.6 | 1 | 34.0 | 752 | 31 |
| FS InVISION | FS 59VL1 EZR | 3220,B | 109 | 213.1 | 21.9 | 1 | 34.0 | 755 | 27 |
| Pioneer | P0707AMXT CK | AMXT,B | 107 | 219.7 | 23.2 | 1 | 34.8 | 770 | 19 |

Jason Beyers

beyers@frontiernet.net, (815) 985-7369

Averages = **216.2** **23.2** **2** **34.2** **758**

LSD (0.10) = 10.6 0.5 4

LSD (0.25) = 5.5 0.3 2

C.V. = 4.6 Prev. years average yield, 219.2 bu/a, 3 yrs

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.030 Prices: GMO = \$3.75; non-GMO = \$3.75

Test Comments: Rainfall was the 90% of the story at this location. Planting was delayed until the 2nd half of May, but conditions were good the day of planting. Plot emerged nicely and continued nice and uniform all season. This portion of Wisconsin continually received rainfall all growing season. After Labor Day, it rained nearly every other day, delaying area harvest. Stalk strength was deteriorating at harvest.

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different

Additional reports available at www.firstseedtests.com

©2018, all rights reserved by Elite Field Genetics, LLC

Report Date: 11/02/2018 Revised:

2018 Corn Grain - North Central Tri-State [NCTS]



Early-Season Test Products (63 Total)

| Company/Brand | Product/Brand | Technol. | Seed Trt. | RM | Company/Brand | Product/Brand | Technol. | Seed Trt. | RM |
|----------------|--------------------|-----------|-------------|-----|---------------|---------------|-----------|-------------|-----|
| Burrus | Power Plus 2B77^ | AMXT,B | CM,C2,R,Lu | 105 | Pfister | 63A3SSR | STX,B | CM,C5,Vi,In | 103 |
| Burrus | Power Plus 2Y06^ | AM,B | CM,C2,R,Lu | 104 | Pfister | 64F1PE | PC,E | CM,C5,Vi,In | 104 |
| Cornelius | C385DP | VT2P | CM,C2 | 103 | Pfister | 65G1SE | STX,E | CM,C5,Vi,In | 105 |
| Cornelius | C461SS | STX | AC,P5V | 106 | Pioneer | P0157AMXT | AMXT,AQ,B | MQ,P1V,R | 101 |
| Cornelius | C478DP | VT2P | AC,P5V | 106 | Pioneer | P0589AMXT GC | AMXT,AQ,B | MQ,P1V,R | 105 |
| Dairyland | DS-7101 | PC | CM,C5,Vi,In | 101 | Pioneer | P0707AMXT CK | AMXT,B | MQ,P1V,R | 107 |
| Dairyland | DS-7106PE | PC,E | CM,C5,Vi,In | 106 | Renk | RK604SSSTX | STX | AC,P5V | 102 |
| Dairyland | DS-7603PE | PC,E | CM,C5,Vi,In | 103 | Renk | RK642SSSTX | STX,B | AC,P5V | 103 |
| Dairyland | DS-9804RA | STX,B | CM,C5,Vi,In | 103 | Renk | RK717SSSTX | STX,B | AC,P5V | 105 |
| Dekalb | DKC55-53RIB GC | STX,B | AC,P5V | 105 | Renk | RK737VT2P | VT2P | AC,P5V | 106 |
| Dekalb | DKC56-45RIB GC | STX,B | AC,P5V | 106 | Stone | 5448RIB | STX,B | AC,P5V | 104 |
| Dyna-Gro | D43SS81 | STX | AC,P5V | 103 | Stone | 5638RIB | STX,B | AC,P5V | 106 |
| Dyna-Gro | D47SS29RIB | STX,B | AC,P5V | 106 | Titan Pro | 82-04 2P | VT2P,B | AC,P2 | 104 |
| FS InVISION | FS 51QX1 RIB | STX,B | AC,P5V | 101 | Titan Pro | TP 77-06 SS | STX,B | AC,P5V | 106 |
| FS InVISION | FS 52RL0 EZR | 3120,B | CM,C2,Vi | 102 | Wyffels | W2506 | VT2P | AC,P2 | 101 |
| FS InVISION | FS 53ZX1 RIB | STX,B | AC,P5V | 103 | Wyffels | W3078RIB | STX,B | AC,P5V | 106 |
| FS InVISION | FS 55TX1 RIB | STX,B | AC,P5V | 105 | Wyffels | W3488 | STX | AC,P5V | 104 |
| Golden Harvest | G03C84-3120-EZR | 3120,B | AVC,C2,Vi | 103 | Wyffels | W4196RIB | VT2P,B | AC,P5V | 105 |
| Golden Harvest | G05K08-3010A | 3010,A | AVC,C2,Vi | 105 | | | | | |
| Golden Harvest | G06Q68-3220-EZR | 3220,B | AVC,C2,Vi | 106 | | | | | |
| Golden Harvest | G06Z97-3120-EZR | 3120,B | AVC,C2,Vi | 106 | | | | | |
| Hefty | H5302VT2PRIB | VT2P,B | HC | 103 | | | | | |
| Hefty | H5504SSRIB | STX,B | HC | 105 | | | | | |
| Hefty | H5522VT2P | VT2P | HC | 105 | | | | | |
| Hefty | H5524SS | STX | HC | 105 | | | | | |
| Jung | 53SS517RIB | STX,B | AC,P5V | 103 | | | | | |
| Jung | 54SS528 | STX,B | AC,P5V | 104 | | | | | |
| Jung | 56SS538 | STX,B | AC,P5V | 106 | | | | | |
| Kussmaul | SB-44V02DGRIB | VT2P,DG,B | AC,P2 | 102 | | | | | |
| Kussmaul | SB-45V03RIB | VT2P,B | AC,P2 | 103 | | | | | |
| Kussmaul | SS-44S05RIB | STX,B | AC,P5V | 105 | | | | | |
| Kussmaul | SS-46S03RIB | STX,B | AC,P5V | 103 | | | | | |
| Latham | LH5245VT2ProRIB | VT2P,B | AC,P2 | 102 | | | | | |
| Latham | LH5487VT2Pro | VT2P | AC,P5V | 104 | | | | | |
| Latham | LH5505VT2ProRIB | VT2P,B | AC,P2 | 105 | | | | | |
| Latham | LH5635VT2ProRIB | VT2P,B | AC,P2 | 106 | | | | | |
| LG Seeds | LG5499STXRIB | STX,B | AC,P5V | 102 | | | | | |
| LG Seeds | LG5525VT2RIB | VT2P,B | AC,P5V | 105 | | | | | |
| NK Brand | NK0330-3120-EZR | 3120,B | AVC,C2,Vi | 103 | | | | | |
| NK Brand | NK0624-3220-EZR GC | 3220,B | AVC,C2,Vi | 106 | | | | | |
| NuTech/G2 Gen | 5F-503 | AM,B | MQ,P5V,R | 103 | | | | | |
| NuTech/G2 Gen | 5F-504 | AM,B | MQ,P5V,R | 104 | | | | | |
| NuTech/G2 Gen | 5F-601 | AM,AQ,B | MQ,P5V,R | 101 | | | | | |
| NuTech/G2 Gen | 5F-702 | AM,B | MQ,P5V,R | 102 | | | | | |
| Pfister | 60C2PC | PC | CM,C5,Vi,In | 100 | | | | | |

2018 Corn Grain - North Central Tri-State [NCTS]



Full-Season Test Products (54 Total)

| Company/Brand | Product/Brand | Technol. | Seed Trt. | RM | Company/Brand | Product/Brand | Technol. | Seed Trt. | RM |
|----------------|------------------|----------|-------------|-----|---------------|---------------|----------|-----------|-----|
| Burrus | Power Plus 4A67^ | AMXT,B | CM,C2,R,Lu | 109 | Renk | RK815SSTX | STX,B | AC,P2 | 110 |
| Burrus | Power Plus 4Y34^ | OI | MQ,P1V,R | 108 | REV | 1817AM | AM,B | MQ,P5V,R | 109 |
| Cornelius | C564SS | STX | AC,P5V | 108 | REV | 2067AM | AM,B | MQ,P1V,R | 110 |
| Cornelius | C573DP | VT2P | CM,C2 | 108 | Stone | 5858RIB | STX,B | AC,P5V | 108 |
| Cornelius | C577SS | STX | AC,P5V | 109 | Titan Pro | 82-09 2P | VT2P,B | AC,P2 | 109 |
| Cornelius | C633DP | VT2P | CM,C2 | 110 | Wyffels | W5518 | STX | AC,P5V | 109 |
| Dairyland | DS-6008 | RR2 | CM,C5,Vi,In | 108 | Wyffels | W6408 | STX | AC,P5V | 110 |
| Dairyland | DS-7909PE | PC,E | CM,C5,Vi,In | 109 | Wyffels | W6896RIB | VT2P,B | AC,P2 | 110 |
| Dairyland | DS-9508RA | STX,B | CM,C5,Vi,In | 108 | Wyffels | W6956 | VT2P | AC,P5V | 111 |
| Dairyland | DS-9510RA | STX,B | CM,C5,Vi,In | 110 | | | | | |
| Dyna-Gro | D49SS70 | STX | AC,P5V | 109 | | | | | |
| FS InVISION | FS 57ZX1 RIB | STX,B | AC,P5V | 107 | | | | | |
| FS InVISION | FS 59VL1 EZR | 3220,B | CM,C2,Vi | 109 | | | | | |
| FS InVISION | FS 60LX1 RIB | STX,B | AC,P5V | 110 | | | | | |
| FS InVISION | FS 60UX1 RIB | STX,B | AC,P5V | 110 | | | | | |
| Golden Harvest | G08D29-3120A-EZR | 3120,A,B | AVC,C5,Vi | 108 | | | | | |
| Golden Harvest | G08M20-3010 | 3010 | AVC,C5,Vi | 108 | | | | | |
| Golden Harvest | G09A86-3000GT | 3000GT | AVC,C5,Vi | 109 | | | | | |
| Golden Harvest | G10T63-3122-EZR | 3122,B | AVC,C5,Vi | 110 | | | | | |
| Hefty | H5812VT2PRIB | VT2P,B | HC | 108 | | | | | |
| Hefty | H5922VT2P | VT2P | HC | 109 | | | | | |
| Hefty | H6004SSRIB | STX,B | HC | 110 | | | | | |
| Hefty | H6024SS | STX,B | HC | 110 | | | | | |
| Jung | 58SS529 | STX,B | AC,P5V | 108 | | | | | |
| Jung | 58SS537RIB | STX,B | AC,P5V | 108 | | | | | |
| Jung | 61SS608 | STX,B | AC,P5V | 111 | | | | | |
| Kussmaul | SS-45S08RIB | STX,B | AC,P5V | 108 | | | | | |
| Latham | EX5917VT2Pro | VT2P | AC,P5V | 109 | | | | | |
| Latham | LH5725VT2Pro | VT2P | AC,P5V | 107 | | | | | |
| Latham | LH5819SSRIB | STX,B | AC,P5V | 108 | | | | | |
| Latham | LH5965VT2ProRIB | VT2P,B | AC,P2 | 109 | | | | | |
| LG Seeds | LG5548STXRIB | STX,B | AC,P5V | 109 | | | | | |
| LG Seeds | LG58C77VT2PRO | VT2P | AC,P5V | 108 | | | | | |
| LG Seeds | LG59C66VT2PRO | VT2P | AC,P5V | 109 | | | | | |
| NuTech/G2 Gen | 5F-308 | AM,B | MQ,P5V,R | 108 | | | | | |
| NuTech/G2 Gen | 5FB-1010 | AM,B | MQ,P5V,R | 110 | | | | | |
| NuTech/G2 Gen | 5FB-9909 | AM,B | CM,C2,R,Lu | 109 | | | | | |
| NuTech/G2 Gen | 5FN-8808 | OI | MQ,P1V,R | 108 | | | | | |
| Pfister | 2545RASS | STX,B | CM,C5,Vi,In | 107 | | | | | |
| Pfister | 68A1PE | PC,E | CM,C5,Vi,In | 108 | | | | | |
| Pfister | 69E2SSR | STX,B | CM,C5,Vi,In | 109 | | | | | |
| Pfister | 69H1PE | PC,E | CM,C5,Vi,In | 109 | | | | | |
| Pioneer | P0707AMXT CK | AMXT,B | MQ,P1V,R | 107 | | | | | |
| Renk | RK763VT2P | VT2P,B | AC,P2 | 108 | | | | | |
| Renk | RK779SSTX | STX | AC,P5V | 108 | | | | | |

Footnotes and Abbreviation Descriptions

Brand Footnotes

| | |
|----|--|
| ^ | Innotech™ brand seed is distributed by Rob-See-Co, LLC. Phoenix® brand seed is distributed by Advanta Seeds. Power Plus® brand seed is distributed by Burrus. Innotech™ and Phoenix® are trademarks of Syngenta. Power Plus® is a registered trademark of Corteva Agriscience. |
| CK | Identifies a check product included in early- and full-season tests. |
| GC | Grower Comparison product included by FIRST when space permits. |

Corn Technologies*

| | | | |
|--------|---|------|--|
| 3000GT | Agrisure® 3000GT (CB,RW,LL,GT) | E | Enlist™ (2,4-D, glyphosate, fop herbicide tolerance) |
| 3010 | Agrisure® 3010 (CB,LL,GT) | GT | Agrisure® GT |
| 3011,A | Agrisure® Artesian® (CB,RW,LL,GT) | HX | Herculex® 1, contains LL |
| 3110 | Agrisure® Viptera® 3110 (Vip, CB,LL,GT) | HXRW | Herculex® Rootworm, contains LL |
| 3111 | Agrisure® Viptera® 3111 (Vip,CB,RW,LL,GT) | HXT | Herculex® Xtra (HX,HXRW,LL) |
| 3120 | Agrisure® 3120 (CB,HX,LL,GT) | LL | LibertyLink® |
| 3122 | Agrisure® 3122 (CB,HXX,RW,LL,GT) | None | conventional corn |
| 3220 | Agrisure® Viptera® 3220 (Vip,CB,HX,LL,GT) | OI | Optimum® Intrasect®, YHR (YGCB,HX,LL,RR2) |
| A | Agrisure® Artesian® | OIX | Optimum® Intrasect® Xtra, YXR (YGCB,HXT,LL,RR2) |
| AM | Optimum® AcreMax® (YGCB,HX,LL,RR2) | OIXT | Optimum® Intrasect® Xtreme (YGCB,HXT,RW,LL,RR2) |
| AMT | Optimum® AcreMax® TRIsect (HX,RW,LL,RR2) | PC | PowerCore™ (HX, VT2P) |
| AMX | Optimum® AcreMax® Xtra (YGCB,HXT,LL,RR2) | RR2 | Roundup Ready® 2 Corn |
| AMXT | Optimum® AcreMax® Xtreme (YGCB,HXT,RW,LL,RR2) | RW | Agrisure® Rootworm |
| AQ | Optimum® AQUAMax® | STX | SmartStax® (VT3P,HXT,RR2,LL) |
| B | Refuge blend product | VT2P | Genuity® VT Double PRO® |
| CB | Agrisure® Corn Borer | VT3P | Genuity® VT Triple PRO® |
| DG | Genuity® DroughtGard® | YGCB | YieldGard® Corn Borer |

* The refuge component genetics may vary in a refuge blend seed product.

Corn Seed Treatments**

| | | | |
|------------|---|------------|--|
| ? | information not provided | Lu | Lumivia™ |
| A | Allegiance® | M | Maxim XL® |
| AC | Acceleron® fungicide products | MQ | Maxim Quattro® |
| AL2500 | Alert 2500 | None | untreated |
| At | Actellic® | P2, P5, P1 | Poncho® at 0.25, 0.5 and 1.25 mg ai/seed, respectively |
| AVC | Avicta® Complete Corn | R | Raxil® |
| C2, C5, C1 | Cruiser® at 0.25, 0.5 and 1.25 mg ai/seed, respectively | Sa | Sativa™ |
| CE | Cruiser Extreme® | Se | Sebring™ |
| CM | CruiserMaxx® Corn | Sn | Senator™ |
| D | Dynasty® | Sp | Spirato™ |
| Es | Escalate® | SC | SHIELDCoat™ |
| HC | Hefty Complete | V | Votivo® |
| In | Intego™ Solo | Vi | Vibrance® |
| L | Lorsban® | | |

** Seed treatments may include unspecified plant health promoting components.